

Department of Defense Index of Specifications and Standards



DODISS NOTICE

1 April 2006

For Period 15 March 2006 to 31 March 2006

Vol. 6 / No. 6

DODISS NOTICE

If you rely on the DODISS Notice to keep you informed of the latest changes and or new Standardization documents index in the DODISS then we encourage you to register for your ASSIST Online account (there is no charge for this).

Once you have your account you can take advantage of the ASSIST Alert Service. Simply establish your ASSIST Alert Portal profile, for more information visit our ASSIST web site at:

<http://assist.daps.dla.mil>

Documents listed in this notice have either an indicator of “N” (new), or “M” (modified).

“N” - indicates that this is a new document that has been entered into our database.

“M” - indicates that a modification has taken place to our database. This could be a revision to a document or an amendment / change / notice to an existing document.

ACTIVE SECTION

DODISS NOTICE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-C-46273B(1) NOT 1	Cartridge, Delay, M70, Assembly [CUST: OS]	A	1377		OS	27-MAR-2006
M	MIL-D-46634B(1) NOT 1	Delay Element, Cartridge: M5 Assembly [CUST: OS]	A	1377		OS	27-MAR-2006
M	MIL-A-85097/6A NOT 2	Aircrew Escape Propulsion Systems (AEPS), Rocket Motors Mark 83 Mods and Mark 85 Mods (Loaded Assemblies) [CUST: OS]	A	1377		OS	16-MAR-2006
M	MIL-A-85097/8B(2) NOT 2	Aircrew Escape Propulsion Sys (AEPS); Rocket Motors, Under Seat, Gas Initiated (Mark 74 Mod 0, Mark 75 Mod 0, Mark 76 Mod 0, Mark 77 Mod 0, Mark 86 Mod 0, Mark 87 Mod 0, Mark 88 Mod 0, Mark 92 Mod 0, Mark 100 Mod 0, & Mark 101 Mod 0) (Loaded Assemblies) [CUST: OS]	A	1377		OS	16-MAR-2006
N	MIL-DTL-32201	Mirror Assemblies, Rearview, HMMWV Style, 12x8 Inch (Nominal), Exterior Mounting [CUST: AT 84] [REVIEW: 99 CC MT]	A	2540		AT	13-MAR-2006
M	A-A-59396 NOT 1	Milling Machine, Combination Horizontal and Vertical, Knee Type [CUST: AR SH 99 GS6] [REVIEW: 84 MC YD]	A	3417	/	GS6	20-MAR-2006
M	A-A-59348A	Table, Welding [CUST: GS6]	A	3436	/	GS6	16-MAR-2006
M	SAE-AMS5803	Steel, Corrosion and Heat Resistant, Welding Wire 16.4Cr - 4.8Ni - 0.22Cb - 3.6Cu Vacuum Melted [CUST: MR AS 11] [REVIEW: 99 GS]	A	3439		11	28-MAR-2006
M	SAE-AMS6461	Steel, Welding Wire 0.95Cr - 0.20V - (0.28 - 0.33C) (SAE 6130) Vacuum Melted, Environment Controlled Packaging [CUST: MR AS 11] [REVIEW: 99 GS]	A	3439		11	28-MAR-2006
M	A-A-59500 NOT 1	Blades, Shearing Machine, Metal Squaring [CUST: AR 99 GS6] [REVIEW: 84]	A	3455	/	GS6	20-MAR-2006
M	MIL-PRF-87108B(1)	Inflation Device, FLU-2A/P [CUST: 11]	A	4220		11	17-MAR-2006
M	F-T-2907 NOT 2	Tanks, Potable Hot Water Storage [CUST: YD] [REVIEW: CE CG MC MD]	A	4520	/	IS	16-MAR-2006
M	MIL-R-6855/1 NOT 4	Rubber, Synthetic, Sheets [CUST: MR AS 11 CC] [REVIEW: 71 99 AR AT AV CE CR GS IS MI OS SH YD]	A	4720		AS	21-MAR-2006
M	MIL-R-6855/2 NOT 4	Rubber, Synthetic, Stirp (or Tape) [CUST: MR AS 11 CC] [REVIEW: 71 99 AR AT AV CE CR GS IS MI OS SH YD]	A	4720		AS	21-MAR-2006
M	MIL-R-6855/4 NOT 4	Rubber, Synthetic, Tubing [CUST: MR AS 11 CC] [REVIEW: 71 99 AR AT AV CE CR GS IS MI OS SH YD]	A	4720		AS	21-MAR-2006
M	MIL-R-6855/5 NOT 4	Rubber, Synthetic, Channel, Extruded [CUST: MR AS 11 CC] [REVIEW: 71 99 AR AT AV CE CR MI OS SH YD]	A	4720		AS	21-MAR-2006
M	QPL-24135-39	Hose, Synthetic Rubber, Wire Reinforced, for Flexible Hose Assemblies General Specification for Rubber, Fluorocarbon Elastomer, Improved Performance at Low Temperatures, O-Rings, Sizes and Tolerances [CUST: 11]	A	4720		SH	08-FEB-2006
M	SAE-AMS-R-83485/1		A	5331		11	28-MAR-2006
M	QPL-3135-71	Deck Covering Underlay Materials	A	5610		SH	24-FEB-2006
M	MIL-PRF-123D(1) SUP 1	Capacitors, Fixed, Ceramic Dielectric, (Temperature Stable and General purpose), High Reliability, General Specification for [CUST: EC 19 CC NA] [REVIEW: 11]	A	5910		CC	17-MAR-2006
M	MIL-PRF-39003/10C	Capacitors, Fixed, Electrolytic (Solid Electrolyte), Tantalum, (Polarized, Sintered Slug), Established Reliability, Styles CSS13 and CSS33 (High Reliability Applications) [CUST: CR EC 19 CC NA] [REVIEW: 11 99 AS MC OS SH]	A	5910		CC	27-MAR-2006
M	MIL-PRF-39018F	Capacitors, Fixed, Electrolytic (Aluminum Oxide), Established Reliability and Non-Established Reliability, General Specification for [CUST: CR EC 11 CC] [REVIEW: 19 AS MC MI OS SH]	A	5910		CC	22-MAR-2006
M	A-A-59532A	Fuse, Inclosed Link, Surface Mount (SM), General Requirements For [CUST: EC CC]	A	5920	/	CC	28-MAR-2006
M	A-A-59532/1A	Fuse, Inclosed Link, Surface Mount (SM), 63 Volts (V) AC/DC, Quick Acting [CUST: EC CC]	A	5920	/	CC	28-MAR-2006
M	A-A-59532/2A	Fuse, Inclosed Link, Surface Mount (SM), 63 Volts (V) AC/DC, Quick Acting With Fuseholder, Block [CUST: EC CC]	A	5920	/	CC	28-MAR-2006
M	A-A-59532/3A	Fuse, Inclosed Link, Surface Mount (SM), 125 Volts (V) AC/DC, Quick Acting, High Breaking Capacity [CUST: EC CC]	A	5920	/	CC	28-MAR-2006
M	A-A-59532/4A	Fuse, Inclosed Link, Surface Mount (SM), 125 Volts (V) AC/DC, Quick Acting, High Breaking Capacity, With a Fuseholder, Block [CUST: EC CC]	A	5920	/	CC	28-MAR-2006
M	A-A-59532/5A	Fuse, Inclosed Link, Surface Mount (SM), 250 Volts (V) AC/DC, Quick Acting [CUST: EC CC]	A	5920	/	CC	28-MAR-2006
M	A-A-59542/3A	Circuit Breaker, Automotive Blade Type, Large Size, Automatic or Modified Reset, 10 Amperes (A) to 50A [CUST: EC CC]	A	5925	/	CC	15-MAR-2006
M	A-A-59542/4A	Circuit Breaker, Automotive Blade Type, Large Size, Manual Reset, 10 Amperes (A) to 30A [CUST: EC CC]	A	5925	/	CC	15-MAR-2006
M	MIL-DTL-38999/24G	Connectors, Electrical, Circular, Receptacle, Threaded, Jam-Nut Mounting, Removable Crimp Contacts, Series III, Metric [CUST: CR AS 11 CC] [REVIEW: 19 99 AR EC MC MI OS]	A	5935		CC	10-MAR-2006
M	QPL-26482-96	Connectors, Electrical, (Circular, Miniature, Quick Disconnect, Environment Resisting), Receptacles and Plugs, General Specification for	A	5935		CC	22-MAR-2006
M	QPL-28840-40	Connectors, Electrical, Circular Threaded, High Density, High Shock Shipboard, Class D, General Specification for	A	5935		CC	22-MAR-2006
M	QPL-38999-98	Connectors, Electrical, Circular, Miniature, High Density, Quick Disconnect (Bayonet, Threatened, and Breech Coupling), Environment, Resistant, Removable Crimp and Hermetic Solder Contacts, General Specification for	A	5935		CC	22-MAR-2006
M	MIL-PRF-1/383E	Electron Tube, Magnetron Type 6344A [CUST: EC CC] [REVIEW: AS CG MC OS]	A	5960		CC	24-MAR-2006
M	MIL-PRF-19500/108J	Semiconductor Device, Thyristors (Controlled Rectifiers), Silicon, Types 2N682, 2N683, 2N685 through 2N692, 2N692A, 2N5206, JAN and JANTX [CUST: CR EC 11 CC] [REVIEW: 19 99 AR AS AV MC MI SM]	A	5961		CC	14-MAR-2006
M	MIL-PRF-19500/168G	Semiconductor Device, Thyristors (Controlled Rectifiers), Silicon, Types 2N1771A, 2N1772A, 2N1774A, 2N1776A, 2N1777A, 2N1778A, 2N2619A, JAN, JANTX, and JANTXV [CUST: CR EC 11 CC] [REVIEW: 19 99 AV MI]	A	5961		CC	14-MAR-2006
M	MIL-PRF-19500/276H	Semiconductor Device, Thyristors (Controlled Rectifiers), Silicon, Types 2N2323, 2N2324, 2N2326, 2N2328, 2N2329, and S and U4 Versions, 2N2323A, 2N2324A, 2N2326A, 2N2328A, 2N2329A, and AS and AU4 Versions, JAN, JANTX, and JANTXV [CUST: CR EC 11 CC] [REVIEW: 19 99 AS MC MI OS SM]	A	5961		CC	22-MAR-2006
M	MIL-PRF-19500/477G	Semiconductor Device, Diode, Silicon, Ultrafast Recovery, Power Rectifier, Types 1N5802, 1N5804, 1N5806, 1N5807, 1N5809, and 1N5811, 1N5802US, 1N5804US, 1N5806US, 1N5807US, 1N5809US, and 1N5811US, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 11 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM]	A	5961		CC	22-MAR-2006
M	MIL-PRF-38535G	Integrated Circuits (Microcircuits) Manufacturing, General Specification For [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS CG MC MI OS SH SM TD]	A	5962		CC	10-MAR-2006
M	MIL-STD-883G	Microcircuits [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AR AS CG EA MC MI OS SH SM TD]	A	5962		CC	28-FEB-2006
M	MIL-HDBK-103X	List of Standard Microcircuit Drawings [CUST: CC]	A	5962		CC	21-MAR-2006
M	ASTM-D2686	Tape, Electrical Insulating, Polytetrafluorethylene-Backed Pressure-Sensitive [CUST: MR AS 11]	A	5970		11	27-MAR-2006

ACTIVE SECTION

DODISS NOTICE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-24211B(1)	Gasket, Waveguide Flange General Specification For [CUST: CR EC 11 CC] [REVIEW: 19 AS CG MC MI]	A	5985		CC	24-MAR-2006
N	A-A-59789	Holder, Electrical Card, Wedge Retainers, 5 Piece, For Cold Plate Applications, General Requirements For [CUST: CR EC 11 CC]		5998	/	CC	26-MAR-2006
N	A-A-59789/1	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .225 X .260 Inch Body Size, with Two Mounting Holes, Screw Actuation and Retention [CUST: CR EC 11 CC]		5998	/	CC	26-MAR-2006
N	A-A-59789/2	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .225 X .260 Inch Body Size, with Two Mounting Holes and Visual Lock Indication, with Screw Actuation and Retention [CUST: CR EC 11 CC]		5998	/	CC	26-MAR-2006
N	A-A-59789/3	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .225 X .225 Inch Body Size, with Two Mounting Holes, with Screw Actuation and Retention [CUST: CR EC 11 CC]		5998	/	CC	26-MAR-2006
N	A-A-59789/4	Holder, Electrical Card, Wedge Retainers, 5 Piece, for Cold Plate Applications, .225 X .225 Inch Body Size, with Two Mounting Holes and Visual Lock Indication, with Screw Actuation and Retention [CUST: CR EC 11 CC]		5998	/	CC	26-MAR-2006
M	QPL-49291-15	Fiber, Optical (Metric), General Specification for	A	6010		CC	22-MAR-2006
M	QPL-24640-27	Cables, Light-Weight, Electric, for Shipboard Use, General Specification for	A	6145		SH	01-MAR-2006
M	A-A-59215A	Leads, Storage-Battery [CUST: CR YD 99] [REVIEW: 03 19 33 71 AS CG]	A	6150	/	GS2	16-MAR-2006
M	A-A-50718A	Test Set, Fuel System [CUST: SH 99]	A	6625	/	84	20-MAR-2006
M	A-A-59475 NOT 1	Scales, Dial and Beam Indicating, Baker's, Dough Piece Checking [CUST: GL MC GS1] [REVIEW: MD YD]	A	6670	/	GS1	20-MAR-2006
M	A-A-59732C	Scale, Vehicle Platform [CUST: GL CG 99 GS] [REVIEW: MC]	A	6670	/	84	17-MAR-2006
M	MIL-G-18997E(2)	Gauge, Pressure, Dial Indicating [CUST: SH]	A	6685		SH	14-MAR-2006
M	QPL-6856-19	Indicator, Pressure, Synchro, 1-1/2 Inch	A	6685		GS1	16-MAR-2006
M	QPL-24212-32	Pressure Transducer Equipment (Electrical)	A	6685		SH	08-MAR-2006
M	QPL-27190-11	Indicator, Pressure AGU-3/A, Hydraulic, 0-4,000 PSI	A	6685		GS1	22-MAR-2006
M	A-A-97 NOT 3	Deodorant, General Purpose (Concentrated, Wick Bottle) [CUST: GS3]	A	6840	/	GS3	20-MAR-2006
M	A-A-98 NOT 3	Deodorant, General Purpose (Concentrated) [CUST: GS3]	A	6840	/	GS3	20-MAR-2006
M	A-A-266B NOT 3	Deodorant, General Purpose (Cakes for Urinals and Toilets) [CUST: GS3]	A	6840	/	GS3	20-MAR-2006
M	A-A-267B NOT 3	Deodorant, General Purpose (Aerosol Air Freshener) [CUST: GS3]	A	6840	/	GS3	20-MAR-2006
M	A-A-59267 NOT 1	Phosphate Coating Compounds, Manganese or Zinc Base (for Ferrous Metals) [CUST: MR SH 11 GS3] [REVIEW: 68 AR AS EA]	A	6850	/	GS3	20-MAR-2006
M	SAE-AMS1428	Fluid, Aircraft Deicing/Anti-Icing, Non-Newtonian (Pseudoplastic), SAE Types II, III, and IV [CUST: AV AS 11] [REVIEW: 68 99 GS]	A	6850		11	28-MAR-2006
M	SAE-AMS1547	Cleaner, Anodic, Electrolytic, Alkaline For Steel, Tank Type [CUST: AV SH 11] [REVIEW: 68 99 AS GS MR]	A	6850		11	28-MAR-2006
M	QPL-24667-30	Coating System, Non-Skid, for Roll or Spray Application	A	8010		SH	16-MAR-2006
M	A-A-2702B NOT 3	Sealing Compound (Liquid Protectant and "Beautifier") [CUST: MR SH]	A	8030	*	MR	23-JAN-2006
M	SAE-AMS3281	Sealing Compound, Polysulfide (T) Synthetic Rubber For Integral Fuel Tank and Fuel Cell Cavities Low Density (1.20 to 1.35 sp gr), for Intermittent Use to 360 Deg. F (182 Deg.C) [CUST: MR 11] [REVIEW: 99 AT]	A	8030		11	28-MAR-2006
M	A-A-1936A NOT 3	Adhesives, Contact, Neoprene Rubber [CUST: 99] [REVIEW: 84 MI YD]	A	8040	*	FSS	23-JAN-2006
M	SAE-ARP1967	Containers, Shipping and Storage, Reusable [CUST: SM AS 11] [REVIEW: 70 71 84 99 AR AT MI SA]	A	8145		11	28-MAR-2006
M	MIL-DTL-83406C	Anti-G Garment, Cutaway, CSU-13B/P [CUST: AS 11]	A	8475		11	24-MAR-2006
M	SAE-AMS5674	Steel, Corrosion and Heat Resistant, Wire, 18Cr - 11.5Ni - 0.70Cb (SAE 30347) Solution Heat Treated [CUST: MR SH 11] [REVIEW: 84 99]	A	9505		11	28-MAR-2006
M	MS500106 NOT 2	Bar, Metal, Round, Steel, Carbon 1018 [CUST: MR AS IS] [REVIEW: 99 AR AT CR4 MI]	A	9510		IS	15-MAR-2006
M	SAE-AMS5880	Steel, Corrosion Resistant, Bars, Forgings, and Wire 17Cr - 0.52Mo (0.95 - 1.20C) (SAE 51440C) for Bearing Applications [CUST: MR AS 11] [REVIEW: 99]	A	9510		11	28-MAR-2006
M	SAE-AMS5940	Alloy, Corrosion and Heat-Resistant, Bars, Forgings, and Rings 34Co - 3.0Cr - 28Ni - 3.0Cb(Nb) - 5.5Al - 0.008B - 25.5Fe Multiple Melted, High Temperature, Oxidation-Resistant, Low Expansion Solution Heat Treated, Precipitation-Hardenable [CUST: MR AS 11]	A	9510		11	28-MAR-2006
M	SAE-AMS6270	Steel, Bars, Forgings, and Tubing 0.50Cr - 0.55Ni - 0.20Mo (0.13-0.18C) (SAE 8615) [CUST: MR AS 11] [REVIEW: 99]	A	9510		11	28-MAR-2006
M	SAE-AMS6470	Steel, Nitriding, Bars, Forgings, and Tubing 1.6Cr - 0.35Mo - 1.13Al(0.38 - 0.43C) [CUST: MR AS 11] [REVIEW: 99]	A	9510		11	28-MAR-2006
M	SAE-AMS5703	Nickel Alloy, Corrosion and Heat Resistant, Bars, Forgings, and Rings 41.5Ni - 16Cr - 37Fe - 2.9Cb - 1.8Ti Consumable Electrode or Vacuum Induction Melted 1750 Deg. F (954 Deg. C) Solution, Stabilization, and Precipitation Heat Treated [CUST: MR AS 11] [REVIEW: 99]	A	9515		11	28-MAR-2006
M	SAE-AMS6439	Steel, Sheet, Strip, and Plate, 1.05Cr - 0.55Ni - 1.0Mo - 0.12V (0.42-0.48C) Consumable Electrode Vacuum Melted, Annealed [CUST: MR AS 11]	A	9515		11	28-MAR-2006
M	SAE-AMS6532	Steel, Bars and Forgings 3.1Cr - 11.5Ni - 13.5Co - 1.2Mo (0.21 - 0.25C) Vacuum Melted, Normalized and Overaged Precipitation Hardenable [CUST: MR AS 11] [REVIEW: 99]	A	9515		11	28-MAR-2006
M	SAE-AMS5841	Cobalt-Nickel Alloy, Corrosion and Heat Resistant Bars 19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb - 2.9Ti - 0.20Al - 9.0Fe Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated for Work Strengthening [CUST: MR AS 11] [REVIEW: 99]	A	9530		11	28-MAR-2006
M	SAE-AMS5843	Cobalt-Nickel Alloy, Corrosion and Heat Resistant, Bars 19Cr - 36Co - 25Ni - 7.0Mo - 0.50Cb - 2.9Ti - 0.20Al - 9.0Fe Vacuum Induction Plus Vacuum Consumable Electrode Melted Solution Heat Treated, Work Strengthened, and Aged [CUST: MR AS 11] [REVIEW: 99]	A	9530		11	28-MAR-2006
M	SAE-AMS4505	Copper Alloy (Brass), Sheet, Strip, and Plate 70Cu - 30Zn Annealed (OS035) [CUST: MR AS 11] [REVIEW: 99]	A	9535		11	28-MAR-2006
M	SAE-AMS7719	Nickel-Iron Alloy, Magnetic, Sheet and Strip 50Ni - 50Fe Stamping Quality, Half-Hard Temper [CUST: MR AS 11]	A	9535		11	28-MAR-2006
M	SAE-AMS4453	Magnesium Alloy, Investment Castings 9.0Al-2.0Zn(AZ92C-T6) Solution and Precipitation Heat Treated [CUST: MR AS 11] [REVIEW: 99]	A	MECA		11	28-MAR-2006
M	SAE-AMS4880	Aluminum Bronze Alloy, Centrifugal and Continuous-Cast Castings 81.5Cu - 10.3Al - 5.0Ni - 2.8Fe Quench Hardened and Temper Annealed (TQ50) [CUST: MR AS 11] [REVIEW: 99]	A	MECA		11	28-MAR-2006
M	SAE-AMS5380	Cobalt Alloy, Corrosion and Heat Resistant, Investment Castings 50.5Co-26Cr-15Ni-6.0Mo As Cast [CUST: MR AS 11]	A	MECA		11	28-MAR-2006

ACTIVE SECTION

DODISS NOTICE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	SAE-AMS5383	Nickel Alloy, Corrosion and Heat Resistant, Investment Castings 52.5Ni - 19Cr - 3.0Mo - 5.1(Cb+Ta) - 0.90Ti - 0.60Al - 18Fe Vacuum Melted Homogenization and Solution Heat Treated [CUST: MR AS 11]	A	MECA	11		28-MAR-2006
M	SAE-AMS5385	Cobalt Alloy, Corrosion and Heat Resistant, Investment Castings 62Co-27Cr-2.8Ni-5.5Mo As Cast [CUST: MR AS 11]	A	MECA	11		28-MAR-2006
M	SAE-AMS5388	Nickel Alloy, Corrosion and Heat-Resistant, Investment Castings 53.3Ni-16.5Cr-17Mo-4.5W-5.8Fe-0.40V (CW-12MW) As Cast [CUST: MR AS 11]	A	MECA	11		28-MAR-2006
M	SAE-AMS5398	Steel, Corrosion Resistant, Sand and Centrifugal Castings 16Cr-4.1Ni-0.22 (Cb+Ta)-2.8Cu Solution Heat Treated [CUST: MR AS 11]	A	MECA	11		28-MAR-2006
M	SAE-AMS5405	Alloy Castings, Investment, Corrosion and Heat Resistant 64Ni - 8.0Cr - 10Co - 6.0Mo - 1.0Ti - 4.2Ta - 6.0Al - 0.015B - 0.08Zr Vacuum Melted, Vacuum Cast as Cast [CUST: MR AS 11]	A	MECA	11		28-MAR-2006
M	SD-18 NOT 2	Program Guide for Parts Requirements and Application	A	SDMP	SO		22-MAR-2006
M	MIL-PRF-49501A NOT 2	Manuals, Technical: Daily Preventive Maintenance Checklist [CUST: TM] [REVIEW: AC1 AR AV CR EA PT]	A	TMSS	TM		31-MAR-2006

INACTIVE SECTION

DODISS NOTICE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	AN363 REV 4 NOT 1	Nut, Self-Locking, 550 Deg F [CUST: WP 11 IS] [REVIEW: MI]	A	5310	IS		28-MAR-2006
M	MIL-M-38510/210E	Microcircuit, Digital, 16,384 Bit Schottky, Bipolar, Programmable Read-Only Memory (PROM) Monolithic Silicon [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		27-MAR-2006
M	MIL-M-38510/245B	Microcircuits, Digital, CMOS, 4096 Bit, Static Random Access Memory (SRAM), Bulk Silicon and Silicon on Sapphire [CUST: CR EC 11 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		13-MAR-2006
M	MIL-PRF-25670/1B	Earphone Element, H-136/AIC [CUST: 11 CC] [REVIEW: 99]	A	5965	CC		06-MAR-2006
M	MIL-DTL-18266B	Cord Assembly, Electrical: P/O H-87B/U [CUST: AS CC]	A	5965	CC		17-FEB-2006
M	MIL-DTL-49055D	Cables, Power, Electrical, (Flexible, Flat, Unshielded), (Round Conductor), General Specification For [CUST: CR AS 11 CC] [REVIEW: 99 AR AT AV CR4 EC MI OS SH]	A	6145	CC		27-FEB-2006
M	MIL-DTL-6856D	Indicator, Pressure, Synchro, 1-1/2 inch [CUST: MI 99] [REVIEW: 71]	A	6685	GS1		16-MAR-2006
M	MIL-D-50030H(1) NOT 2	Decontaminating Agent, D82 [CUST: EA]	A	6850	EA		27-MAR-2006

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-PRF-19500/625A NOT 1	Semiconductor, Device, Diode, Silicon, Switching Types 1N6683, 1N6684, 1N6685, 1N6683US, 1N6684US, and 1N6685US JAN, JANTX, JANTXV, JANS, JANHC, and JANKC (No S/S Document) [CUST: CR EC 11 CC NA] [REVIEW: 19 99 AS MC MI SM]	A	5961		CC	06-MAR-2006